


















wifi smart switch






Item NO.	Photo	Technical Date
WN-SK101-1		Product name : EU ,UK,GB Standard Smart Key Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 158g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri
WN-SK101-2		Product name : EU ,UK,GB Standard Smart Key Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 168g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri
WN-SK101-3		Product name : EU ,UK,GB Standard Smart Key Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 178g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri
WN-SK102-1		Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 181g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri





WN-SK102-2		<p>Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 191g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK102-3		<p>Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 201g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK103-1		<p>Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 181g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK103-2		<p>Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 191g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK103-3		<p>Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 201g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>



WN-SK104-1		<p>Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire \ Single L wire Channel : 1 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black \ gold Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 181g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK104-2		<p>Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire \ Single L wire Channel : 2 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black \ gold Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 191g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK104-3		<p>Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire \ Single L wire Channel : 3 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black \ gold Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 201g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK105-1		<p>Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang metal frame APP : Smart Life Color : gray \ gold Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 201g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK105-2		<p>Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang metal frame APP : Smart Life Color : gray \ gold Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 211g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>





WN-SK105-3		<p>Product name : EU ,UK,GB Standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang metal frame APP : Smart Life Color : gray \ gold Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 221g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK201-1		<p>Product name : EU ,UK,GB Standard Smart Curtain Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 181g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK201-2		<p>Product name : EU ,UK,GB Standard Smart Curtain Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 191g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK201-3		<p>Product name : EU ,UK,GB Standard Smart Curtain Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang metal frame APP : Smart Life Color : gray \ gold Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 221g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK202-1		<p>Product name : EU ,UK,GB Standard Smart Dimmer Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 181g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>






WN-SK202-2		<p>Product name : EU ,UK,GB Standard Smart Dimmer Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 191g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK202-3		<p>Product name : EU ,UK,GB Standard Smart Dimmer Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang metal frame APP : Smart Life Color : gray \ gold Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 221g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK203-1		<p>Product name : EU ,UK,GB Standard Smart Boiler Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 181g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK203-2		<p>Product name : EU ,UK,GB Standard Smart Boiler Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 191g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK203-3		<p>Product name : EU ,UK,GB Standard Smart Boiler Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 221g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>






WN-SK204-1		<p>Product name : EU ,UK,GB Standard Smart Fan Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 191g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK301-1		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 201g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK301-2		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 211g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK301-3		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 221g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK302-1		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 201g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>






WN-SK302-2		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 211g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK302-3		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 221g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK303-1		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire \ Single L wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 201g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK303-2		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire \ Single L wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 211g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK303-3		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire \ Single L wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 221g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>

WN-SK304-1		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 201g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK304-2		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 211g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK304-3	 <p style="text-align: center;">Zinc Alloy Metal Frame</p>	<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 221g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK401-1		<p>Product name : EU ,UK,GB Standard Smart Curtain Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 201g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK401-2		<p>Product name : EU ,UK,GB Standard Smart Curtain Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 221g Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>






WN-SK402-1		<p>Product name : EU ,UK,GB Standard Smart Dimmer Switch Input voltage : 95-240VAC 50/60Hz</p> <p>Networking : WIFI Control : L and N wire Channel : 3 gang</p> <p>APP : Ewelink \ Smart Life Color : White \ Black</p> <p>Product Certification : CE, FCC, ROHS Rated Current : 10A</p> <p>Product size : 120*76*35mm Rough weight : 201g</p> <p>Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK402-2	 <p style="text-align: center;">Zinc Alloy Metal Frame</p>	<p>Product name : EU ,UK,GB Standard Smart Dimmer Switch Input voltage : 95-240VAC 50/60Hz</p> <p>Networking : WIFI Control : L and N wire</p> <p>Channel : 3 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black</p> <p>Product Certification : CE, FCC, ROHS Rated Current : 10A</p> <p>Product size : 120*76*35mm Rough weight : 221g</p> <p>Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK403-1		<p>Product name : EU ,UK,GB Standard Smart Boiler Switch Input voltage : 95-240VAC 50/60Hz</p> <p>Networking : WIFI Control : L and N wire Channel : 1 gang</p> <p>APP : Ewelink \ Smart Life Color : White \ Black</p> <p>Product Certification : CE, FCC, ROHS Rated Current : 10A</p> <p>Product size : 120*76*35mm Rough weight : 191g</p> <p>Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK403-2		<p>Product name : EU ,UK,GB Standard Smart Boiler Switch Input voltage : 95-240VAC 50/60Hz</p> <p>Networking : WIFI Control : L and N wire</p> <p>Channel : 1 gang metal frame APP : Ewelink \ Smart Life Color : White \ Black</p> <p>Product Certification : CE, FCC, ROHS Rated Current : 10A</p> <p>Product size : 120*76*35mm Rough weight : 221g</p> <p>Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>
WN-SK404-1		<p>Product name : EU ,UK,GB Standard Smart Fan Switch Input voltage : 95-240VAC 50/60Hz</p> <p>Networking : WIFI Control : L and N wire Channel : 3 gang</p> <p>APP : Smart Life Color : White \ Black</p> <p>Product Certification : CE, FCC, ROHS Rated Current : 10A</p> <p>Product size : 120*76*35mm Rough weight : 121g</p> <p>Support : Alexa& Echo dot Google Home、 IFTTT Roqi、 iPhone_Siri</p>



WN-SK501-4		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 4 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 146*86*35mm Rough weight : 421g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
WN-SK501-5		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 5 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 146*86*35mm Rough weight : 451g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
WN-SK501-6		<p>Product name : US,AU standard Smart Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 6 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 146*86*35mm Rough weight : 471g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
WN-SK502-1		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 421g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
WN-SK502-2		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 451g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>

<p>WN-SK502-3</p>		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 471g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK503-1</p>		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 421g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK503-2</p>		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 451g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK503-3</p>		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 471g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK504-1</p>		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 421g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>




WN-SK504-2		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 451g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
WN-SK504-3		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 471g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
WN-SK505-1		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 421g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
WN-SK505-2		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 451g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
WN-SK505-3		<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 471g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>






<p>WN-SK506-1</p>	<p>A white smart switch with a single circular touch button and a standard two-prong electrical socket on the right side.</p>	<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WiFi Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 421g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK506-2</p>	<p>A black smart switch with two circular touch buttons and a standard two-prong electrical socket on the right side.</p>	<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WiFi Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 451g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK506-3</p>	<p>A white smart switch with three circular touch buttons and a standard two-prong electrical socket on the right side.</p>	<p>Product name : US,AU standard Smart Switch Smart Socket Input voltage : 95-240VAC 50/60Hz Networking : WiFi Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 471g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK601-1</p>	<p>Wiring diagram for a two-way control WiFi switch. It shows two switches connected to a single light fixture. The diagram is labeled 'Two way control WiFi Switch' and includes 'WiFi', 'Neutral', and 'Live' labels.</p>	<p>Product name : EU ,UK,GB Standard Two Way Key Switch Input voltage : 95-240VAC 50/60Hz Networking : WiFi Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 401g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK601-2</p>	<p>Wiring diagram for a two-way control WiFi switch. It shows two switches connected to two separate light fixtures. The diagram is labeled 'Two way control WiFi Switch' and includes 'WiFi', 'Neutral', and 'Live' labels.</p>	<p>Product name : EU ,UK,GB Standard Two Way Key Switch Input voltage : 95-240VAC 50/60Hz Networking : WiFi Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 86*86*35mm Rough weight : 421g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>






<p>WN-SK601-3</p>		<p>Product name : EU ,UK,GB Standard Two Way Key Switch Input voltage : 95-240VAC 50/60Hz Networking : WiFi Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 471g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK602-1</p>		<p>Product name : EU ,UK,GB Standard Two Way Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WiFi Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 86*86*35mm Rough weight : 401g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK602-2</p>		<p>Product name : EU ,UK,GB Standard Two Way Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WiFi Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 86*86*35mm Rough weight : 421g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK602-3</p>		<p>Product name : EU ,UK,GB Standard Two Way Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WiFi Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 146*86*35mm Rough weight : 471g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK603-1</p>		<p>Product name : EU ,UK,GB Standard Two Way Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WiFi Control : L and N wire Channel : 1 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 10A Product size : 120*76*35mm Rough weight : 401g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>






<p>WN-SK603-2</p>	 <p>2Gang 2way control WiFi Switch</p>	<p>Product name : EU ,UK,GB Standard Two Way Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 2 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 120*76*35mm Rough weight : 421g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>
<p>WN-SK603-3</p>	 <p>Two way control WiFi Switch</p>	<p>Product name : EU ,UK,GB Standard Two Way Touch Switch Input voltage : 95-240VAC 50/60Hz Networking : WIFI Control : L and N wire Channel : 3 gang APP : Ewelink \ Smart Life Color : White \ Black Product Certification : CE, FCC, ROHS Rated Current : 16A Product size : 120*76*35mm Rough weight : 471g Support : Alexa& Echo dot Google Home、IFTTT Roqi、iPhone_Siri</p>






Wiring Diagram







































4-6Gang WiFi Switch
Size: 146*86*35mm



4-6Gang WiFi Switch
Size: 146*86*35mm



4-6Gang WiFi Switch
Size: 146*86*35mm



Socket Switch



Socket Switch



Socket Switch



Socket Switch



Socket Switch



Socket Switch



Socket Switch



Socket Switch



Socket Switch



Socket Switch



Socket Switch



Socket Switch



Socket Switch




Socket Switch




Socket Switch




Two way control switch Diagram




Two way control switch Diagram




Two way control switch Diagram




Two way control switch Diagram




Two way control switch Diagram




Two way control switch Diagram



Two way control switch Diagram



Two way control switch Diagram



Two way control switch Diagram

